



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Up-the-country boys, 89.	Winter creeper, 145.
Vison-la, 49.	Winter gannet, 27.
War bird, 95.	Winter gros-bec, 54.
Warloon, 4.	Winter gull, 14, 15.
Water-belcher, 49.	Winter ox-eye, 68.
Water buzzard, 29.	Winter robin, 154.
Water guinea or water guinea-hen, 59.	Wood-knocker, 98.
Wear hen, 2.	Woodpecker, Great black, 100.
Weaser, 30a.	Wood-pile quawker, 80.
Whale-bird, 61.	Wood wren, 144, 149.
Wheatbird, 125.	Woozer, 30a.
Wheeler, Yellow, 102.	Wop, 49, 54.
Whicker, Yellow, 102.	Wren, Wood, 144, 149.
Whip-tail, 12b.	Yellow-bird, 149.
White crane, 51, 55.	Yellow hammer, 138.
White gull, 15.	Yellow-legged goose, 45.
White hawk, 91.	Yellow-legs, 45.
White-tailed stib, 66.	Yellow-legs, Bastard, 65.
Whittaker, 102.	Yellow-shanked sandpiper, 71.
Wick-up, 102.	Yellow snipe, 62.
Winter birds, 68.	Yellow wheeler, 102.
Winter chip-bird, 118.	Yellow whicker, 102.
	Zin-zin, 31.

MORE RECORDS FROM THE "SHORES" COLLECTION.

BY W. F. HENNINGER.

1. *Gallinago delicata*.

Sage and Bishop give this species as "very rare in summer or winter," while it is common in spring and fall. To their records of this species for the summer months must now be added another one, a ♂, taken July 9, 1875, at Suffield, Connecticut, by Dr. Shores (now No. 1356, coll. W. F. H.),

2. *Helodromas solitarius*.

To the three unusual records for this species in Connecticut, given by Sage and Bishop, *Birds of Connecticut*, page 61, a fourth one must now be added, a ♂, taken July 12, 1875, at Suffield, Connecticut, by Dr. Shores (now No. 1355, coll. W. F. H.). Dr. Shores' earliest record for this species is May 17, 1874, a ♂ taken, and his latest record is August 20, 1875, a ♂ taken.

3. *Oxyechus vociferus*.

Quite a number of records must be added to those given by Sage and Bishop in *Birds of Connecticut*, pages 65 and 66. Besides the one mentioned in March, 1917, issue of *Wilson Bulletin*, there are

the following: May 26, 1874, a ♂ taken; July 12, 1875, one seen; April 12, 1875, a flock seen, which was very wild, so that in spite of a long and tedious chase he could not procure any; September 1, 1877, a ♀ shot. All at Suffield, Conn.

4. *Accipiter velox*.

An additional winter record is December 1, 1874, a ♀, taken at Suffield, Conn.

5. *Empidonax flaviventris*.

A ♀ taken June 24, 1874, at Suffield, Conn. This record was inadvertently omitted in the report as given in the March, 1917, Wilson Bulletin, and it is earlier than any that Sage and Bishop give (Birds of Conn., p. 103).

6. *Euphagus carolinus*.

On May 11, 1874, Dr. Shores took one ♂ and two ♀♀ at Suffield, Conn. This is a late spring record for Connecticut, where this species is not common in spring, though common in the fall.

7. *Zonotrichia leucophrys*.

An additional record is May 23, 1875, a ♀ taken at Suffield.

8. *Melospiza georgiana*.

The very few winter records given by Sage and Bishop for this species show that it is a rare winter resident throughout the region. Dr. Shores took a specimen, a ♀, at Cranston, R. I., on December 3, 1874.

9. *Dendroica vigorsii*.

I have been requested to publish the Shores records for this species in full, so here they are: June 5, 1874, a ♀ taken; May 28, 1875, a ♂ taken; May 3, 1877, two ♀♀ taken (now Nos. 1530 and 1599, coll. W. F. H.); June 26, 1879, a pair taken. These are all from Suffield, Conn. June 22, 1880, two ♂♂, one ♀ taken at the Southwick Ponds, Mass.

10. *Wilsonia canadensis*.

I have also been asked to give the Shores records for this species: June 5, 1874, a ♀ taken; June 6, 1874, a ♀ taken; May 23, 1875, a ♂ taken (now No. 1491, coll. W. F. H.); May 27, 1876, a ♂ taken; May 22, 1878, a ♂ taken; May 29, 1878, a ♂ taken; August 30, 1879, a ♀ taken (now No. 1492, coll. W. F. H.); September 1, 1879, a ♀ taken; September 2, 1879, a ♀ juvenal taken (now No. 1493, coll. W. F. H.); September 6, 1879, two ♂♂ taken. All at Suffield, Conn.